

[ExPASy Home page](#)[Site Map](#)[Search ExPASy](#)[Contact us](#)[Swiss-Prot](#)

Notice: This page will be replaced with www.uniprot.org. Please send us your feedback!

Search for

[Printer-friendly view](#)[Submit update](#)[Quick BlastP search](#)[Entry history](#)

UniProtKB/Swiss-Prot entry

Q9U1H8

[[Entry info](#)] [[Name and origin](#)] [[References](#)] [[Comments](#)] [[Cross-references](#)] [[Keywords](#)] [[Features](#)] [[Sequence](#)] [[Tools](#)]

Note: most headings are clickable, even if they don't appear as links. They link to the user manual or other documents.

Entry information

Entry name **FACE2_DROME**
 Primary accession number **Q9U1H8**
 Secondary accession numbers **Q8SZZ3 Q9VRM4**
 Integrated into Swiss-Prot on **April 27, 2001**
 Sequence was last modified on **August 15, 2003 (Sequence version 3)**
 Annotations were last modified on **July 22, 2008 (Entry version 52)**

Name and origin of the protein

Protein name **CAAX prenyl protease 2**
 Synonyms **EC 3.4.22.-
 Prenyl protein-specific endoprotease 2
 Farnesylated proteins-converting enzyme 2
 FACE-2
 Protein severas**

Gene name **Name: *Sras*
 ORFNames: CG4852**

From ***Drosophila melanogaster* (Fruit fly) [TaxID: 7227]**
 Taxonomy **Eukaryota; Metazoa; Arthropoda; Hexapoda; Insecta; Pterygota;
 Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 Ephydroidea; Drosophilidae; Drosophila; Sophophora.**

Protein existence **2: Evidence at transcript level;**


References

[1] NUCLEOTIDE SEQUENCE [MRNA].

Weinzierl-Hinum A., Toeroek I., Kiss I., Farkas R., Mechler B.M.;
 "The severas gene of *Drosophila* encodes a CAAX-protease and acts as a tumour suppressor."; Submitted (DEC-1999) to the EMBL/GenBank/DBJ databases.

[2] NUCLEOTIDE SEQUENCE [LARGE SCALE GENOMIC DNA].

STRAIN=Berkeley;
 DOI=10.1126/science.287.5461.2185; PubMed=10731132 [NCBI, ExPASy, EBI, Israel, Japan]

Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D., Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F., George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N., Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., , Venter J.C.;
 "The genome sequence of *Drosophila melanogaster*.";
 Science 287:2185-2195(2000).

[3] GENOME REANNOTATION.

PubMed=12537572 [NCBI, ExPASy, EBI, Israel, Japan]
 Misra S., Crosby M.A., Mungall C.J., Matthews B.B., Campbell K.S., Hradecky P., Huang Y., Kaminker J.S., Millburn G.H., Prochnik S.E., Smith C.D., Tupy J.L., Whitfield E.J., Bayraktaroglu L., Berman B.P., Bettencourt B.R., Celniker S.E., de Grey A.D.N.J., Drysdale R.A., , Lewis S.E.;
 "Annotation of the *Drosophila melanogaster* euchromatic genome: a systematic review.";
 Genome Biol. 3:RESEARCH0083.1-RESEARCH0083.22(2002).

[4] NUCLEOTIDE SEQUENCE [LARGE SCALE MRNA].

STRAIN=Berkeley;
 TISSUE=Embryo;
 PubMed=12537569 [NCBI, ExPASy, EBI, Israel, Japan]
 Stapleton M., Carlson J.W., Brokstein P., Yu C., Champe M., George R.A., Guarin H., Kronmiller B., Pacle J.M., Park S., Wan K.H., Rubin G.M., Celniker S.E.;
 "A *Drosophila* full-length cDNA resource.";
 Genome Biol. 3:RESEARCH0080.1-RESEARCH0080.8(2002).

Comments

- **FUNCTION:** Proteolytically removes the C-terminal three residues of farnesylated and geranylated proteins (*By similarity*).
- **SUBCELLULAR LOCATION:** Endoplasmic reticulum membrane; Multi-pass membrane protein (*By similarity*).
- **SIMILARITY:** Belongs to the peptidase U48 family [view classification].

Copyright

Copyrighted by the UniProt Consortium, see <http://www.uniprot.org/terms>. Distributed under the Creative Commons Attribution-NoDerivs License.

Cross-references

Sequence databases

EMBL AJ252068; CAB64383.1; ALT_INIT; mRNA.[EMBL / GenBank / DDBJ] [CoDingSequence]
 AE014296; AAF50770.3; -; Genomic_DNA.[EMBL / GenBank / DDBJ] [CoDingSequence]
 AY069692; AAL39837.1; -; mRNA.[EMBL / GenBank / DDBJ] [CoDingSequence]
 RefSeq NP_524673.3; -.
 UniGene Dm.1874

3D structure databases

ModBase Q9U1H8.

Protein family/group databases

MEROPS U48.002; -.

Enzyme and pathway databases

BioCyc DMEL-XXX-02:DMEL-XXX-02-015306-MON; -.

Organism-specific databases

FlyBase FBgn0029121; Sras.

Gene expression databases

ArrayExpress Q9U1H8; -.

GermOnline CG4852; *Drosophila melanogaster*.

Ontologies

GO:0005789; Cellular component: endoplasmic reticulum membrane (*inferred from electron annotation from UniProtKB-SubCell*).

GO [QuickGo view.](#)

Family and domain databases

InterPro [IPR003675; Abi.](#)
Graphical view of domain structure.

Pfam [PF02517; Abi; 1.](#)
Pfam graphical view of domain structure.

BLOCKS [Q9UIH8.](#)

Genome annotation databases

Ensembl [CG4852; Drosophila melanogaster. \[Contig view\]](#)

GenID [44002; -.](#)

KEGG [dme:Dmel_CG4852; -.](#)

NMPDR [fig|7227.3.peg.8248; -.](#)

Phylogenomic databases

HOGENOM [Q9UIH8; -.](#)

Other

ProtoNet [Q9UIH8.](#)

UniRef [View cluster of proteins with at least 50% / 90% / 100% identity.](#)

Keywords

Complete proteome; Endoplasmic reticulum; Hydrolase; Membrane; Transmembrane.

Features



Feature table viewer



Feature aligner

Key	From	To	Length	Description	FTId
CHAIN	1	302	302	CAAX prenyl protease 2.	PRO_0000194832
TRANSMEM	27	47	21	<i>Potential.</i>	
TRANSMEM	64	84	21	<i>Potential.</i>	
TRANSMEM	104	124	21	<i>Potential.</i>	
TRANSMEM	171	191	21	<i>Potential.</i>	
TRANSMEM	212	232	21	<i>Potential.</i>	
TRANSMEM	236	256	21	<i>Potential.</i>	
TRANSMEM	268	288	21	<i>Potential.</i>	
CONFLICT	94	95		KL -> NV (in Ref. 1; CAB64383).	
CONFLICT	122	122		I -> M (in Ref. 1; CAB64383).	
CONFLICT	138	138		D -> H (in Ref. 1; CAB64383).	

Sequence information

Length: 302 AA [This is the length of the unprocessed precursor]

Molecular weight: 34415 Da [This is the MW of the unprocessed precursor]


CRC64: 84A9EE949F1993C3 [This is a checksum on the sequence]

<u>10</u>	<u>20</u>	<u>30</u>	<u>40</u>	<u>50</u>	<u>60</u>
MKNLSETEAE	VTMQENVVHE	SLPQIPVATS	VSCCFVLAVL	YVGSlyIWST	KHNRDHPTTV
<u>70</u>	<u>80</u>	<u>90</u>	<u>100</u>	<u>110</u>	<u>120</u>
KRRFASVSMV	MLAAPFFVVF	FSSPELLSRV	PPPKLLGLRL	EGLWQAVVIP	YSLTVLLFLG
<u>130</u>	<u>140</u>	<u>150</u>	<u>160</u>	<u>170</u>	<u>180</u>
PIFVNMQNES	VRSYFDLDYW	RGSFGSIIWV	RNHVIAPLSE	EFVFRACMMP	LILQSFSPLV

190 200 210 220 230 240
AVFITPLFFG VAHLHHIAER LSLGVELSTA LLIGLFQFIY TTLFGFYSAF LFARTGHVMA
250 260 270 280 290 300
PILVHAFCNH MGLPDLQDLW QQDLWRRVVA IILYLAGEFVG WMFLVPLATD PSIDNTLYW

NA

Q9UIH8 in
FASTA format[View entry in original UniProtKB/Swiss-Prot format](#)[View entry in raw text format \(no links\)](#)[Report form for errors/updates in this UniProtKB/Swiss-Prot entry](#)

 BLAST submission on
ExPASy/SIB
or at NCBI (USA)



Sequence analysis tools: ProtParam, ProtScale,
Compute pI/Mw, PeptideMass, PeptideCutter,
Dotlet (Java)



ScanProsite, MotifScan



Submit a homology modeling request to SWISS-
MODEL



NPSA Sequence analysis
tools



ExPASy Home page

Site Map

Search ExPASy

Contact us

Swiss-Prot

Hosted by  CBR Canada Mirror sites: Australia Brazil China Korea Switzerland

Notice: This page will be replaced with www.uniprot.org. Please send us [your feedback!](#)